

# Wall mounted unit

FAQ-C



Seasonal Classic Seasonal Smart



Infrastructure cooling



Home leave operation



Vertical auto swing

For rooms with no false ceilings  
nor free floor space

- › Flat, stylish front panel blends easily within any interior décor and is easier to clean
- › Can easily be installed in both new and refurbishment projects
- › Reduced energy consumption thanks to specially developed DC fan motor
- › The air is comfortably spread up- and downwards thanks to 5 different discharge angles that can be programmed via the remote control
- › Maintenance operations can be performed easily from the front of the unit

# FAQ-C9 + RZQG-L9V1/(8)Y1, RZQSG-L3/9V1/(8)Y1



Indoor unit		FAQ	71C9	100C9
Casing	Colour		Fresh White	
Dimensions	Unit	HeightxWidthxDepth	290x1,050x238	340x1,200x240
Sound power level	Cooling/Heating	dB(A)	61/61	65/65
Sound pressure level	Cooling	High/Low	45/40	49/41
	Heating	High/Low	45/40	49/41
Refrigerant	Type/GWP		R-410A / -	



Combination with Seasonal Smart outdoor units ensure high quality, optimal comfort, flexible installation and highest efficiency values.




Combination with Seasonal Classic ensures good value for money for all types of commercial applications.

Efficiency data		FAQ + RZQG/RZQSG	71C9 + 71L8Y1	100C9 + 100L8Y1	71C9 + 71L9V1	100C9 + 100L9V1	71C9 + 71L3V1	100C9 + 100L9V1	100C9 + 100L8Y1	
Cooling capacity	Nom.	kW	0.051	0.061	0.051	0.061	6.8	0.061	0.061	
Heating capacity	Nom.	kW	0.068	0.061	0.068	0.061	7.5	0.061	0.061	
Seasonal efficiency (according to EN14825)	Cooling	Energy label	A++				A+			
		Pdesign	kW	6.80	9.50	6.80	9.50	6.8	9.50	9.50
		SEER		6.51	6.11	6.51	6.11	5.81	5.61	5.61
		Annual energy consumption	kWh	366	545	366	545	410	593	593
Seasonal efficiency (Average climate)	Heating	Energy label	A+				A			
		Pdesign	kW	6.33	10.20	6.33	10.20	6.33	6.81	6.81
		SCOP		4.02	4.01	4.02	4.01	3.90	4.01	4.01
		Annual energy consumption	kWh	2,205	3,562	2,205	3,562	2,273	2,378	2,378
Nominal efficiency	EER		3.40	3.62	3.40	3.62	3.21	3.01	3.01	
	COP		3.70	3.61	3.70	3.61	3.61	3.41	3.41	
	Annual energy consumption	kWh	1,000	1,315	1,000	1,315	1,059	1,580	1,580	
Energy label	Cooling/Heating		A/A			A/A			B/B	

Outdoor unit		RZQG/RZQSG	71L8Y1	100L8Y1	71L9V1	100L9V1	71L3V1	100L9V1	100L8Y1	
Dimensions	Unit	HeightxWidthxDepth	990x940x320	1,430x940x320	990x940x320	1,430x940x320	770x900x320	990x940x320	990x940x320	
Sound power level	Cooling	dB(A)	64	66	64	66	65	70	69	
Sound pressure level	Cooling	Nom.	48	50	48	50	49/47	53/-	53	
	Heating	Nom.	50	52	50	52	51	57	57	
	Night quiet mode	Level 1	43	45	43	45	-	49	49	
Operation range	Cooling	Ambient	Min.-Max.	-15~50				-15.0~46		
	Heating	Ambient	Min.-Max.	-20~15.5				-15~15.5		
Refrigerant	Type/GWP		R-410A/2,087.5							
	Charge	kg/TCO <sub>2</sub> Eq	2.9/6.1	4.0/8.4	2.9/6.1	4.0/8.4	2.75/5.7	2.9/6.1	3N~/50/380-415	
Power supply	Phase/Frequency/Voltage	Hz/V	3N~/50/380-415		1~/50/220-240		1~/50/220-240		3N~/50/380-415	

Contains fluorinated greenhouse gases (1) EER/COP according to Eurovent 2012, for use outside EU only (2) Nominal efficiency: cooling at 35°/27° nominal load, heating at 7°/20° nominal load

Daikin Europe N.V. Naamloze Vennootschap · Zandvoordestraat 300 · 8400 Oostende · Belgium · www.daikin.eu · BE 0412 120 336 · RPR Oostende (Responsible Editor)



ECPEN16-117

05/16



Daikin Europe N.V. participates in the Eurovent Certification programme for Liquid Chilling Packages (LCP), Air handling units (AHU), Fan coil units (FCU) and variable refrigerant flow systems (VRF) Check ongoing validity of certificate online: www.eurovent-certification.com or using: www.certiflash.com



The present leaflet is drawn up by way of information only and does not constitute an offer binding upon Daikin Europe N.V. Daikin Europe N.V. has compiled the content of this leaflet to the best of its knowledge. No express or implied warranty is given for the completeness, accuracy, reliability or fitness for particular purpose of its content and the products and services presented therein. Specifications are subject to change without prior notice. Daikin Europe N.V. explicitly rejects any liability for any direct or indirect damage, in the broadest sense, arising from or related to the use and/or interpretation of this leaflet. All content is copyrighted by Daikin Europe N.V.